

COOKER HOOD
COLLECTION
2023




miro
— THE ART OF EXTRACTION —



THE ART OF EXTRACTION

With so many things to consider when planning your new kitchen, it's easy to overlook one of the most important elements – *the extraction*.

Our stylish and unique range of high-performance products all feature the latest cutting-edge technology, and our quiet, powerful cooker hoods are designed for the demands of modern-day kitchen living.

Miro offer arguably the most comprehensive collection of cooker hoods on the market, stocked at our headquarters in Lancashire and available on a **2-to-5-day delivery turnaround** anywhere in the UK. All of our products are supplied with **2 years parts and labour warranty**, with additional warranty cover available.

We also offer a bespoke design service, providing customers with the opportunity to design a cooker hood perfect for individual requirements.

Filter systems	5	Help & advice	56
Extra features	6	Product matrix	58
Our products	7	Warranty & servicing	59

WHY CHOOSE MIRO?




QUALITY SERVICE

Miro offer all customers a fantastic customer service experience. Our friendly and fully trained staff are always on hand to help and support customers with their requirements.



QUIET & POWERFUL

Miro believe the kitchen should be a peaceful place to enjoy, without distractions. That's why our extractors feature premium, high performance motors, powerful enough to extract unwanted smells, but also quiet, ensuring that your kitchen is the perfect place to socialise.



HIGH QUALITY STEEL

All Miro cooker hoods are manufactured using only the highest quality components featuring the latest cutting-edge technology. Many of our hoods are also produced using the highest quality 1mm thick 304 stainless steel for durability and additional robustness.

Get in touch with our team of experts for more information

FILTER SYSTEMS




PLASMA FILTERS

Plasma is the most effective and innovative recirculation alternative on the market.

Through chemical reactions, it changes the composition of the molecules of the polluted air, purifying 98% of the particles.

Plasma air purification is also acts as a silencer, reducing the noise by up to 14% and includes a life span of up to 15 years.



Filter	Maximum rate	SKU
Plasma flat	800 m³/h	90373
Cylindrical plasma	1000 m³/h	90371
Cylindrical plasma	600 m³/h	90372
Plasma L750	750 m³/h	90413
Plinth grid	-	90376

orders@miroproducts.co.uk • 01282 450 238



HELSA CUBES (REGENERABLE)

Our Box-R plinth system includes 9 to 10 Helса charcoal cubes creating a system that enables up to 4000 parallel flow channels, capturing grease and odours very effectively.

By separating the air in multitude of channels, this system also acts like silencer reducing the noise of the air flow. Helса can be regenerated in the oven at 160 degrees Celsius (OC) for approximately 90 minutes a maximum of 8 cycles.

Filter	Finish	Cubes	SKU
Box-R socle (H3)	Stainless steel	10	90267
Helса Cube (spare)	-	-	90354



CARBON FILTERS

Carbon filters are the most traditional method of recirculation.

They include microgranules of coal that collect the odours, clean them, the cleaner air is then recirculated back into the kitchen area.

Our FC-Plus Ceiling filter is compatible with our 360 ceiling hoods and is long lasting. This filter has a lifespan of up to 5 years and can be regenerated twice. Carbon re-fills for this filter are also available to purchase.


Filter	SKU
FC Plus Ceiling	90384
Carbon re-fill for 90384 ceiling filter	90386
Standard carbon filter for wall hoods	90133
Standard carbon filter	90801
Standard carbon filter for Urban Plus range	90802
Carbon filter for downdraft	90803
Standard carbon filter for Tempo range	90804

EXTRA FEATURES



HOOD-TO-HOB

Our Hood-to-Hob Connect induction hob provides you with the convenience of controlling all compatible hood functions from a control panel located directly on the hob. **See page 8.**



360° SPIRAL MOTOR

Our 360° spiral motor is now more efficient than ever, making it possible to install extraction ducts in any direction for improved performance and easier installation.




AIRSOFT SILENCERS

For even more noise-reduction, our Airsoft ducting silencers are available as an optional extra for most Miro cooker hoods, and they can reduce extractor noise perception by a further 15%.



EASY FIX INSTALLATION

Many of our ceiling hoods are designed with mounting clips for quick and effortless installation. Connect the motor to the ducting and raise the hood until it clicks into place to flush-mount it to a false ceiling.



ADJUSTABLE LIGHTING

The majority of Miro cooker hoods are supplied with warm LED lights (3000K). However, many of our products also have temperature selectors to adjust the light ambience. Please look out for this symbol for compatible models.



REMOTE CONTROLS

Many of our cooker hoods include a remote control as standard, especially models that are more difficult to reach. Please look out for this symbol for compatible models.



CEILING HOODS



SLIMLINE



SENSE 360



NITRO 360



AERO COMPACT




MOON 360



BRIGHT 360

SURFACE HOODS



ENVY



FLOW 5



TOLEDO



OPERA




ASTRO PURE



URBAN PLUS ISLAND

ISLAND HOODS

CANOPY HOODS




LUNA




GA FILO



TEMPO



STEALTH



VERVE



ETHOS PRO



VIGOR



FEEL



SOUL




STATUS

WALL HOODS



STREAM



PHANTOM



SIGMA




HERITAGE PRO



URBAN PLUS WALL

HOOD-TO-HOB INDUCTION HOB



Our Hood-to-Hob Connect induction hob provides you with the convenience of controlling all compatible hood functions from a control panel located directly on the hob.

LOOK OUT FOR

BRIDGE ZONES

The plate allows you to bridge two cooking zones to create a single area where you can use large pans cook several dishes at once, with maximum flexibility.

POWER BOOST

Our H-2-H Connect induction hob includes booster function to increase the power of the selected area. When activated, the cooking area works for up to ten minutes at high power to quickly heat large amounts of water.

SAFETY

Induction hobs have modern and sophisticated safety systems: centralized shutdown; security lock; waste heat indicators. The hob will turn off if no pans are detected; Overflow detector, which automatically turns off the plate if liquids are spilled; automatic deactivation, to prevent accidents.

30CM COOKING ZONES



The separate cooking areas are equipped with an double induction zone that allows the use of utensils with diameters between 11 and 30 cm. A large area for the most demanding kitchen.

PAN DETECTION

Induction hobs not only recognize the presence of pans but also calculate the support surface. This allows you to use energy more efficiently. When the pan is removed, the cooking area is automatically deactivated.

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
590 x 520	Black glass	511510




CEILING HOODS

An impressive selection of powerful, quiet and stylish ceiling hoods that are perfect for open plan living.



SLIMLINE

Miro’s new innovative Slimline ceiling hood is 900mm wide and is available in a choice of two finishes; matt white or stainless steel with both options featuring a white glass panel. This extractor can be easily installed either across the joists or between them, meaning there is no need for a bulkhead or dropped ceiling.



DETAILS & FEATURES

Installation	Ceiling installation
Finishes	Stainless steel & white or white & white
Control	Remote control included
Lighting	● 4000K LED
Cut out (mm)	855 x 390
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE A+

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	300	516	600
Acoustic power (dBA)	61	70	72

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
900 x 440	Stainless steel & white	275900
900 x 440	White & white	275910

SENSE 360

The show-stopping Sense 360 ceiling hood is available in matt white or black finish and features an eye-catching LED perimeter light panel in a choice of temperatures: 3000K or 4000K. The Sense 360 includes a premium German motor as standard and is slim as standard; with an overall height of only 198mm. The spiral motor and easy fix mounting clips allow for easy installation.

Black lacquer

White lacquer


H2H Connect

360° spiral motor

AirSoft available

Includes remote

Easy fix installation



DETAILS & FEATURES


Installation	False ceiling made to withstand 30kg
Finishes	White lacquer or Black lacquer
Control	Remote control included
Lighting	3000K or 4000K LED
Cut out (mm)	985 x 485
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE A

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	175	563	734
Acoustic power (dBA)	35	58	63

OPTIONAL EXTRAS

Flat plasma filter 800 **90373** • Carbon filter **90384**
Airsoft 2 silencer duct **90310** • H2H Induction hob **511510**



SIZE & FINISHES

Dimensions (mm)	Finish	Lighting	SKU
1010 x 510	White lacquer	3000K	273680
1010 x 510	White lacquer	4000K	273690
1010 x 510	Black lacquer	3000K	273700
1010 x 510	Black lacquer	4000K	273710

Get in touch with our team of experts for more information

Sense 360 canopy hood in matt black (3000K)
Frank Anthony Kitchens showroom display, Warton



NITRO 360

Sleek, quiet and elegant, our popular Nitro 360 ceiling hood features a premium German motor and is available in stainless steel or matt white finish with LED striplights that include temperature selector. The Nitro 360 is slim as standard; with an overall height of only 198mm. The spiral motor and easy fix mounting clips allow for easy installation.

Stainless steel

White lacquer

H2H Connect


360° spiral motor

AirSoft available

Includes remote

Easy fix installation

Adjustable lighting



DETAILS & FEATURES

Installation	False ceiling made to withstand 30kg
Finishes	White lacquer <i>or</i> Stainless steel
Control	Remote control included
Lighting	Adjustable LED
Cut out (mm)	970 x 475
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE A++

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	200	556	698
Acoustic power (dBA)	38	61	63

OPTIONAL EXTRAS

Flat plasma filter 800 **90373** • Carbon filter **90384**
Airsoft 2 silencer duct **90310** • H2H Induction hob **511510**

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
1000 x 500	Stainless steel	272870
1000 x 500	White lacquer	272890

Get in touch with our team of experts for more information

AERO COMPACT

With measurements of 900mm x 350mm and an overall height of only 180mm, the Aero ceiling hood is compact in its design. Available in stainless steel or matt white finish and featuring 4 x LED lights, the Aero is a versatile option for installation into tight spaces.

Stainless steel


White

H2H Connect

AirSoft available

Includes remote

Easy fix installation



DETAILS & FEATURES

Installation	False ceiling made to withstand 20kg
Finishes	White <i>or</i> Stainless steel
Control	Remote control included
Lighting	3000K LED
Cut out (mm)	870 x 325
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE A

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	142	428	518
Acoustic power (dBA)	38	58	61

OPTIONAL EXTRAS

Flat plasma filter 800 **90373** • Airsoft 2 silencer duct **90310**
H2H Induction hob **511510**

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
900 x 350	Stainless steel	271340
900 x 350	White	271360

orders@miroproducts.co.uk • 01282 450 238

Moon 360 canopy hood in Black
Project by Ashley Ann, Stirling



MOON 360

The Moon 360 ceiling hood is available in black or white glass and features a premium German motor as standard. The LED striplights are incorporated within the glass and include a temperature selector. The Moon 360 is slim as standard; with an overall height of only 198mm. The spiral motor and easy fix mounting clips allow for easy installation.



Black glass



White glass



H2H Connect



360° spiral motor



AirSoft available




Includes remote



Easy fix installation



Adjustable lighting



DETAILS & FEATURES

Installation	False ceiling made to withstand 35kg
Finishes	White glass or black glass
Control	Remote control included
Lighting	Adjustable LED
Cut out (mm)	970 x 475
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE A++

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	200	556	698
Acoustic power (dBA)	38	61	63

OPTIONAL EXTRAS


Flat plasma filter 800 **90373** • Carbon filter **90384**
Airsoft 2 silencer duct **90310** • H2H Induction hob **511510**

SIZE & FINISHES


Dimensions (mm)	Finish	SKU
1000 x 500	White glass	272950
1000 x 500	Black glass	272970

BRIGHT 360


The Bright 360 matt white ceiling hood features a large 50W LED light panel that creates fantastic a powerful ambience of light. Including a premium German motor as standard and with an overall height of only 198mm, the Bright 360 features our spiral motor and easy fix mounting clips allow for easy installation.




White lacquer




H2H Connect




360° spiral motor




AirSoft available



Includes remote



Easy fix installation



DETAILS & FEATURES

Installation	False ceiling made to withstand 30kg
Finishes	White lacquer
Control	Remote control included
Lighting	4000K LED
Cut out (mm)	970 x 475
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE A++

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	194	594	735
Acoustic power (dBA)	38	58	63

OPTIONAL EXTRAS

Flat plasma filter 800 **90373** • Carbon filter 90384
Airsoft 2 silencer duct **90310** • H2H Induction hob **511510**

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
1000 x 500	White lacquer	273670

The light panel on this extractor is to be connected either to the mains lighting or a separate switch on the wall. It is not operated by the remote control.

Get in touch with our team of experts for more information

Bright 360 ceiling hood





SURFACE HOODS

A selection of elegant, high quality surface
hoods designed for modern day kitchen living.

Envy venting hob
John Willox Kitchens showroom display, Ellon




ENVY

The A++ energy rated Envy features two OCTA induction plates by EGO with 2 bridge zones. The Envy's powerful waterproof brushless motor is positioned under the glass and offers a total height of 203mm, allowing for a greater storage area underneath. The Envy is also equipped with an internal water collector for humidity and accidental spillage.

- 4 induction zones • 2 bridge zones • Booster
Pot detection • Child lock • Timer function

For ducting or recirculating



DETAILS & FEATURES

Installation	Induction hob
Finishes	Black
Control	Electronic touch control
Cut out (mm)	760 x 500
Air outlet (mm)	Ø 150 or 220 x 90

The Envy is supplied with a recirculation filter as standard.

PERFORMANCE A++

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	228	606	712
Acoustic power (dBA)	44	67	70

OPTIONAL EXTRAS

Flat plasma filter 800 **90373** • Ducting kit for recirculation **90902**

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
780 x 520	Black	275660

FLOW 5

The Flow 5 is A+++ energy rated and features 2 bridge zones. With an overall depth of only 200mm that allows for a greater storage area underneath, this elegant venting hob features slider touch controls and a 3.5 litre capacity spill tray. With high spec hob and powerful motor, the Flow 5 is the perfect option for cooking enthusiasts.

HIGH SPEED AIR FLOW

Thanks to its innovative design, the Suction Zone of the Flow 5 produces a high-speed air flow generating an attraction effect that expands higher, attracting the fumes towards the centre and drawing them inside.



SLIDER CONTROL

Quick temperature selector with the slider: just touch the desired power level with a finger on the touch screen. The same happens with the suction zone, selecting the desired power.

BRIDGE FUNCTION

The hob allows you to associate two cooking zones to create a single zone where you can use large containers or cook several dishes at the same time, with maximum flexibility when placing the containers.

- Recall function • Independent timers • Container detection
Stop & go function • Heat maintenance • Timer function
Heat boost function • Multiple safety features



DETAILS & FEATURES

Installation	Induction hob
Finishes	Black
Control	Electronic touch control
Cut out (mm)	760 x 490
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE A+++

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	176	497	660
Acoustic power (dBA)	40	66	76

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
780 x 580	Black	272510

OPTIONAL EXTRAS

Box-R socle (H3) **90267** • Plasma filter 750 **90413**
Flat plasma filter 800 **90373** • Plinth grill **90376**
Recirculation Box-R Socle H6 **90404**
The Flow 5 is supplied with a recirculation filter as standard.

Get in touch with our team of experts for more information

Flow 5 venting hob






Toledo venting hob
Project by Robert Sinclair Interiors, Forfar

TOLEDO

The Toledo is a popular, well-equipped venting induction hob that includes slide touch controls and one bridge zone. With an overall width of 860mm, the Toledo is Miro’s largest venting hob option and features a motor box that can be positioned to the front or the back to allow for full depth drawers.

- 4 induction zones • Bridge function • Power boost
- Timer function • Stop & go function
- Residual heat indicator • Security lock



DETAILS & FEATURES

Installation	Induction hob
Finishes	Black
Control	Electronic touch control
Cut out (mm)	815 x 504
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE A

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	226	587	648
Acoustic power (dBA)	50	69	71

OPTIONAL EXTRAS


Box-R socle (H3) **90267** • Flat plasma filter 800 **90373**

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
860 x 520	Black	275580

OPERA

The Opera downdraft extractor is touch control operated and is supplied in black glass and stainless steel finish. Featuring a powerful LED striplight to illuminate the cooking area, the Opera is a popular, elegant, high spec addition to our surface hood selection.



DETAILS & FEATURES

Installation	Built-in
Finishes	Black glass & stainless steel
Control	Touch control
Lighting	5500K LED
Cut out (mm)	878 x 108
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE A

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	311	603	710
Acoustic power (dBA)	48	61	64

OPTIONAL EXTRAS

Recirculation kit **90803**

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
900	Black glass	275590



Get in touch with our team of experts for more information




ISLAND HOODS

A stylish and functional selection of island
extractors, perfect for open plan kitchen living.

ASTRO PURE

The Astro Pure is a stunning island hood which will be the focal point of any modern kitchen. Each one is individually made with Murano glass, meaning every one is unique in its own way. Available in white, bronze or black, it includes a plasma Filter as standard offering 95% odour reduction capacity (EN 61591), as well as the total elimination of all viruses, microbes and bacteria present in the air.



DETAILS & FEATURES

Installation	Ceiling mounted
Finishes	White glass or Black glass or Bronze glass
Control	Remote control included
Lighting	4000K LED
Cut out (mm)	-
Air outlet (mm)	-

PERFORMANCE A

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	-	450	-
Acoustic power (dBA)	-	67	-


SIZE & FINISHES

Dimensions (mm)	Finish	SKU
570 x 450	White Murano glass	275550
570 x 450	Black Murano glass	275560
570 x 450	Bronze Murano glass	275570



URBAN PLUS

The stylish Urban Plus stainless-steel T-shaped island hood offers excellent extraction performance and also features a touch control panel with LED lighting.



DETAILS & FEATURES

Installation	Ceiling mounted
Finishes	Stainless steel
Control	Electronic touch control
Lighting	3000K LED
Cut out (mm)	-
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE C

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	250	520	600
Acoustic power (dBA)	46	64	68

OPTIONAL EXTRAS

Standard carbon filter **90802** • Plasma filter C600 **90372**
Airsoft 1 silencer duct **90182**

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
900 x 600	Stainless steel	277020

CANOPY HOODS

An extensive collection of discreet and elegant
canopy hoods to suit all kitchen styles.

LUNA


The Luna is white with a white glass panel and features fantastic perimeter LED lighting. Controlled by an illuminated remote control, the Luna offers excellent extraction performance. As the Luna is only 280mm deep, this canopy hood can be installed into any wall cabinet that is 800mm wide plus.

White

AirSoft available

Includes remote

Easy fix installation



DETAILS & FEATURES


Installation	Cut out / built in
Finishes	White
Control	Remote control included
Lighting	4000K LED
Cut out (mm)	761 x 263
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	317	608	713
Acoustic power (dBA)	49	56	67

OPTIONAL EXTRAS

Charcoal filters **90801** • Plasma filter C600 **90372**
Airsoft 1 silencer duct **90182**



SIZE & FINISHES

Dimensions (mm)	Finish	SKU
780 x 280	White	275790

Get in touch with our team of experts for more information

GA FILO


Our popular GA Filo canopy hood is sleek and versatile. With an overall depth of only 295mm and 1mm discreet profile, the GA Filo is available with various motor options and includes remote control as standard.

Stainless steel

H2H Connect

AirSoft available

Includes remote



SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
535 x 295	Stainless steel	VF600	271480
760 x 295	Stainless steel	VF700	271490
760 x 295	Stainless steel	1100GP	271500
1000 x 295	Stainless steel	VF700	271510
1000 x 295	Stainless steel	1100GP	271520



DETAILS & FEATURES

Installation	Cut out / built in
Finishes	Stainless steel
Control	Touch control / Remote control included
Lighting	3000K LED*
Cut out (mm)	497 x 259 or 730 x 259 or 970 x 259
Air outlet (mm)	Ø 150 or 220 x 90

VF600 MOTOR

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	213	395	571
Acoustic power (dBA)	40	52	59

*4000K available. Please get in touch.

orders@miroproducts.co.uk • 01282 450 238

VF700 MOTOR

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	216	405	644
Acoustic power (dBA)	40	48	58

1100GP MOTOR


Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	414	610	1015
Acoustic power (dBA)	40	57	65

OPTIONAL EXTRAS

Cylindric Plasma Filter C1000 **90371** • Cylindric Plasma Filter C600 **90372**
Recirculation kit **90134** • Airsoft 1 silencer duct **90182**
H2H Induction hob **511510**

TEMPO

With an overall depth of only 286mm, the Tempo can be installed comfortably into any wall cabinet or mantle. It has a compact overall height of just over 250mm, so can also be installed into shallow wall cabinets too. The Tempo features two powerful LED lights, three speed settings and an easy slide control panel.



DETAILS & FEATURES

Installation	Cut out / built in
Finishes	Stainless steel
Control	Easy slide control panel
Lighting	3000K LED
Cut out (mm)	495 x 263 or 681 x 273
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	263	425	-
Acoustic power (dBA)	51	64	-

OPTIONAL EXTRAS

Charcoal filters **90801** • Airsoft 1 silencer duct **90182**


SIZE & FINISHES

Dimensions (mm)	Finish	SKU
518 x 286	Stainless steel	275730
745 x 286	Stainless steel	275740

Get in touch with our team of experts for more information

STEALTH

A sleek, versatile addition to our extensive canopy hood selection. Available in stainless steel or matt black finish and in a choice of three sizes, the Stealth offers excellent extraction performance as standard, and features a sleek luminous control panel.



DETAILS & FEATURES

Installation	Cut out / built in
Finishes	Stainless steel or matt black
Control	Luminous soft touch control panel
Lighting	3000K LED
Cut out (mm)	526 x 266 or 756 x 266 or 926 x 266
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	301	593	742
Acoustic power (dBA)	46	63	68

OPTIONAL EXTRAS

Charcoal filters **90801** • Cylindric Plasma Filter C600 **90372**
Airsoft 1 silencer duct **90182**


SIZE & FINISHES

Dimensions (mm)	Finish	SKU
542 x 285	Stainless steel	275670
542 x 285	Matt black	275700
772 x 285	Stainless steel	275680
772 x 285	Matt black	275710
942 x 285	Stainless steel	275690
942 x 285	Matt black	275720

orders@miroproducts.co.uk • 01282 450 238

VERVE

Sleek and discreet, the new Verve canopy hood from Miro is available in either stainless or matt black finish. This powerful canopy hood includes a 4000K LED light strip and a stylish luminous control panel. With a slim overall depth of only 285mm, it will fit into all wall cabinets that are 800mm wide plus.



DETAILS & FEATURES

Installation	Cut out / built in
Finishes	Stainless steel or Matt black
Control	Luminous soft touch control panel
Lighting	4000K LED
Cut out (mm)	756 x 266
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	338	593	742
Acoustic power (dBA)	46	63	68

OPTIONAL EXTRAS

Charcoal filters **90801** • Cylindric Plasma Filter C600 **90372**
Airsoft 1 silencer duct **90182** • Remote control **90901**

SIZE & FINISHES



Dimensions (mm)	Finish	SKU
772 x 285	Stainless steel	275750
772 x 285	Matt black	275760

Get in touch with our team of experts for more information



ETHOS PRO

The Ethos Pro canopy hood is an exciting new addition to Miro's Professional canopy hood selection and features all our latest cutting edge technology. The Ethos Pro features an LED temperature selector so you can select your perfect light ambience.



DETAILS & FEATURES

Installation	Cut out / built in
Finishes	Stainless steel
Control	Luminous soft touch control panel / Remote control
Lighting	Adjustable LED
Cut out (mm)	847 x 264 or 1132 x 264
Air outlet (mm)	Ø 150 or 220 x 90

orders@miroproducts.co.uk • 01282 450 238

PERFORMANCE

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	238	584	766
Acoustic power (dBA)	41	63	69

OPTIONAL EXTRAS

Charcoal filters **90801** • Cylindric Plasma Filter C1000 **90371**
Airsoft 1 silencer duct **90182**

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
865 x 290	Stainless steel	275770
1150 x 290	Stainless steel	275780



VIGOR

The Vigor is perfect for customers who demand high performance from their extractor. With a discreet 1mm profile, this Vigor is supplied with our premium 1100GP motor, offering exceptional performance with minimal noise and includes remote control as standard.



Stainless steel




H2H Connect




AirSoft available



Includes remote



DETAILS & FEATURES

Installation	Cut out / built in
Finishes	Stainless steel
Control	Touch control panel / Remote control included
Lighting	 3000K LED
Cut out (mm)	975 x 280
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	267	607	973
Acoustic power (dBA)	36	56	64

OPTIONAL EXTRAS

Cylindric Plasma Filter C1000 **90371** • Airsoft 1 silencer duct **90182**
H2H Induction hob **511510**

SIZE & FINISHES


Dimensions (mm)	Finish	SKU
1000 x 295	Stainless steel	272810

Get in touch with our team of experts for more information



Features touch control glass panel

DETAILS & FEATURES

Installation	Cut out / built in
Finishes	Stainless steel
Control	Touch control glass panel
Lighting	 3000K LED
Cut out (mm)	259 x 730
Air outlet (mm)	Ø 150 or 220 x 90

orders@miroproducts.co.uk • 01282 450 238

FEEL


Our Feel canopy hood is only 280mm deep and includes an easy touch control fold away glass visor. The Feel is elegant in its design and features a powerful LED striplight providing an excellent ambience of light onto the cooking area below.



Stainless steel



AirSoft available



SIZE & FINISHES

Dimensions (mm)	Finish	SKU
760 x 280	Stainless steel	271380

PERFORMANCE

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	234	424	644
Acoustic power (dBA)	40	51	62

OPTIONAL EXTRAS

Cylindric Plasma Filter C1000 **90371** • Cylindric Plasma Filter C600 **90372**
Recirculation kit **90134** • Airsoft 1 silencer duct **90182**

SOUL

Our popular Soul canopy hood is available in two size options and features fold away glass visor. With a discreet 1mm profile with an overall depth of only 295mm, this model can be installed into any wall cabinet. The Soul also has the option to duct out from the rear which is an advantage when installing into shallow cabinets.



Stainless steel




H2H Connect




AirSoft available



Includes remote



DETAILS & FEATURES

Installation	Cut out / built in
Finishes	Stainless steel
Control	Remote control
Lighting	 3000K LED
Cut out (mm)	505 x 260 or 690 x 260
Air outlet (mm)	Ø 150 or 220 x 90

VF600 MOTOR

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	203	370	617
Acoustic power (dBA)	42	51	59

VF700 PERFORMANCE

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	241	430	675
Acoustic power (dBA)	41	52	63

OPTIONAL EXTRAS

Cylindric Plasma Filter C600 **90372** • Recirculation kit **90134**
Airsoft 1 silencer duct **90182** • H2H Induction hob **511510**

SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
540 x 295	Stainless steel	VF600	272210
725 x 295	Stainless steel	VF700	272220

Get in touch with our team of experts for more information

STATUS


The Status fully integrated built-in hood is available in three size options; 600, 900 or 1200mm. The overall depth of this model can be adjusted between 310mm and 360mm, enabling it to fit perfectly into wall cabinets. The Status features a protective clear glass visor, powerful LED lighting and offers excellent extraction performance as standard.




Stainless steel



AirSoft available



DETAILS & FEATURES

Installation	Fully integrated
Finishes	Stainless steel
Control	Electronic touch control panel
Lighting	 3000K LED
Cut out (mm)	-
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	331	620	760
Acoustic power (dBA)	50	62	67

OPTIONAL EXTRAS

Charcoal filters **90801** • Airsoft 1 silencer duct **90182**

SIZE & FINISHES

*Can be adjusted between 310-360mm during installation

Dimensions (mm)	Finish	SKU
600 x 310*	Stainless steel	275800
900 x 310*	Stainless steel	275810
1200 x 310*	Stainless steel	275820




WALL HOODS

Our selection of powerful and stylish wall hoods help create a statement piece within any kitchen.



STREAM


The Stream wall hood offers performance and style. This contemporary matt black wall hood includes eye-catching LED lighting with touch control panel and includes a powerful, silence plus motor as standard.




Black lacquer




H2H Connect



AirSoft available



DETAILS & FEATURES

Installation	Wall mounted
Finishes	Black lacquer
Control	Touch control panel
Lighting	 3000K LED
Cut out (mm)	-
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	221	400	646
Acoustic power (dBA)	47	60	65

OPTIONAL EXTRAS

Cylindric Plasma Filter C600 **90372** • Recirculation kit **90133**
Airsoft 1 silencer duct **90182** • H2H Induction hob **511510**

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
900 x 480	Black lacquer	271570

Get in touch with our team of experts for more information



PHANTOM


Miro's prestigious Phantom black glass angled wall hood includes all the latest cutting edge features. With noise reduction technology, this high spec wall mounted hood features a powerful brushless motor and touch control panel that is easily accessible at the bottom of the hood.



Stainless steel & black glass



Adjustable lighting



DETAILS & FEATURES

Installation	Wall mounted
Finishes	Stainless steel & black glass
Control	Touch control panel
Lighting	Adjustable LED
Cut out (mm)	-
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	240	580	700
Acoustic power (dBA)	38	62	64

OPTIONAL EXTRAS

Ceramic Sorbex Regeneration Filter (Lifetime) **90805**



SIZE & FINISHES

Dimensions (mm)	Finish	SKU
900	Stainless steel & black glass	275870

orders@miroproducts.co.uk • 01282 450 238

SIGMA

The Sigma wall hood from Miro is available in either black or white glass with a choice of two size options; 600 or 800mm. Featuring an electronic touch control panel that is conveniently located in the centre of the hood, the Sigma also includes two LED lights and offers excellent extraction performance as standard.



DETAILS & FEATURES

Installation	Wall mounted
Finishes	Black glass or white glass
Control	Electronic touch control panel
Lighting	3000K LED
Cut out (mm)	-
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE A

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	329	631	777
Acoustic power (dBA)	43	57	62

OPTIONAL EXTRAS

Charcoal filters **90801** • Cylindric Plasma Filter C600 **90372**
Airsoft 1 silencer duct **90182**


SIZE & FINISHES

Dimensions (mm)	Finish	SKU
600	Black glass	275830
600	White glass	275840
800	Black glass	275850
800	White glass	275860

Get in touch with our team of experts for more information

HERITAGE PRO

The Heritage Pro is equipped with powerful brushless motor, therefore perfect for customers who demand high performance from their extractor. Also featuring high quality professional hybrid baffle filters and a luminous touch control panel that is conveniently located at the front of the hood.



DETAILS & FEATURES

Installation	Wall mounted
Finishes	Stainless steel
Control	Luminous touch control panel
Lighting	Adjustable LED
Cut out (mm)	-
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE A

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	252	611	805
Acoustic power (dBA)	41	63	69

OPTIONAL EXTRAS


Charcoal filters **90801** • Cylindric Plasma Filter C1000 **90371**
Airsoft 1 silencer duct **90182** • Remote control **90901**

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
1200 x 559	Stainless steel	275890

URBAN PLUS WALL

The stylish Urban Plus stainless-steel T-shaped wall hood offers excellent extraction performance with push button control panel and LED lighting.



DETAILS & FEATURES

Installation	Wall mounted
Finishes	Stainless steel
Control	Touch control panel
Lighting	● 3000K LED
Cut out (mm)	-
Air outlet (mm)	Ø 150 or 220 x 90

PERFORMANCE C

Speed setting	MIN	MAX	BOOST
Extraction capacity (m³/h)	250	600	-
Acoustic power (dBA)	46	68	-

OPTIONAL EXTRAS

Carbon filter **90802** • Cylindric Plasma Filter C600 **90372**
Airsoft 1 silencer duct **90182**

SIZE & FINISHES

Dimensions (mm)	Finish	SKU
600	Stainless steel	277000
900	Stainless steel	277010

Get in touch with our team of experts for more information

Urban Plus wall hood
Project by Stuart Frazer



POWER CALCULATION

Calculation of powers necessary for a correct aspiration.

The ideal cooker hood should pull odours and smoke from the kitchen effectively with minimal noise. To enjoy a kitchen living environment, the air should be renewed between 12 and 15 times per hour with the noise not exceeding 55 dB (A).

It is very important to know that the channelling of the air produces a loss in the absorption capacity, which is why it is imperative that only 150mm (6") or 220 x 90mm ducting should be used with our hoods, avoiding reductions and elbows.

The following data can be used to calculate the loss:

- 1 meter of tube - reduction of: 10 m³/h.
- 1 90° elbow - reduction of: 50 m³/h.
- 1 45° elbow - reduction of: 15 m³/h
- 1 Nozzle - reduction of: 30 m³/h


(Indicative data depending on the tube diameter)

For the correct air renewal, it is necessary for the kitchen to be provided with an air inlet to ensure good air circulation and a correct operation of the hood since without this inlet and with the kitchen closed a depression is created that reduces the suction efficiency of the hood. If there is an air inlet for the gas installation, this would do.


INSTALLATION

Dimensions

Choosing an adequate hood size in relation to the cooking area is essential for a satisfactory result.



As with the size, the height of the hood is very important in order to achieve its maximum performance.




*According to the UNE-60335-2:31 standard, the minimum distance of the gas hobs from the extractor hood and / or the furniture must be at least 65 cm. **Unless otherwise stated on product page.**

Ventilation

It is a basic requirement that the kitchen is provided with an air inlet to ensure good air circulation and therefore a correct operation of the hood since without this inlet and with the kitchen closed a depression is created that reduces the suction efficiency of the hood.

If there is an air inlet for the gas installation, this would be useful and if not, one must be created.



Installation of conductive tubes

Most of the efficiency of the aspiration and noise reduction depends on the path and length of the exit to the outside, for this reason we indicate a series of recommendations so that your satisfaction is greatest. We recommend either 150mm (6") round or 220mm x 90mm rectangular rigid ducting is used in the installation of your new extractor to ensure maximum performance and efficiency. Failure to do so may invalidate your warranty.

- Avoid making a reduction in diameter at the outlet of the hood nozzle.
- Avoid making a diameter reduction near the elbows.
- Avoid abruptly reducing pipe diameter.
- Reduce the number of elbows as much as possible.
- Make any necessary elbows as sharp as possible.
- Make sure that the smoke outlet is as direct as possible.

ALL MOTORS AND ELECTRONIC PARTS MUST BE ACCESSIBLE FOR TECHNICAL SERVICE INTERVENTIONS IF NECESSARY. CONSIDER WHEN INSTALLING THE HOOD, PREVENTING ACCESS MAY RESULT WITH THE LOSS OF THE GUARANTEE.

PRODUCT GRID

			FINISH								SIZES	EXTRAS							ENERGY	
	Product	Page	Stainless steel	White	Matt black	White lacquer	Black lacquer	White glass	Black glass	Bronze glass	Widths (mm)	Hood to-hob connectivity	360° spiral motor	Airsoft silencers	Easy fix installation	Adjustable lighting	Remote control	Rating		
CEILING	Slimline	13	●	●							900							A+		
	Sense 360	14				●	●				1010	●	●	●	●		●	A		
	Nitro 360	16	●	●							1000	●	●	●	●	●	●	A++		
	Aero Compact	17	●	●							900	●		●	●		●	A		
	Moon 360	19						●	●		1000	●	●	●	●	●	●	A++		
	Bright 360	20				●					1000	●	●	●	●		●	A+++		
SURFACE	Envy	25							●		780							A++		
	Flow 5	26							●		780							A+++		
	Toldeo	29							●		860							A		
	Opera	30							●		900							A		
ISLAND	Astro Pure	34						●	●	●	570						●	A		
	Urban Plus Island	35	●								900			●				C		
CANOPY	Luna	38		●							780			●	●		●	B		
	GA Filo	39	●								535, 760, 1000	●		●			●	B A A++		
	Tempo	40	●								518, 745			●				C		
	Stealth	41	●		●						542, 772, 942			●				A		
	Verve	42	●		●						772			●			○	A		
	Ethos Pro	43	●								865, 1150			●		●		A		
	Vigor	44	●								1000	●		●			●	A+		
	Feel	45	●								760			●				A		
	Soul	46	●								540, 725	●		●			●	A		
	Status	47	●								600, 900, 1200			●				A		
WALL	Stream	50					●				900	●		●				A		
	Phantom	51	●						●		900					●		A		
	Sigma	52						●	●		600, 800			●				A		
	Heritage Pro	53	●								1200			●		●	●	A		
	Urban Plus Wall	54	●								600, 900			●				C		

WARRANTY

For your peace of mind, all new Miro cooker hoods include full 2 years parts and labour warranty and are manufactured to the highest standard using only quality components.

However, if your product does ever let you down, Miro's network of quality service engineers are on hand to help.

Please register your details at miroproducts.co.uk/register-warranty to validate your warranty.

Miro always recommends customers keep their proof of purchase.

SERVICING

Miro's network of quality service engineers are on hand to help with servicing and maintaining your cooker hoods.

To find out more, or to book an engineer, please call **01282 450238** or email support@miroproducts.co.uk.



01282 450 238

orders@miroproducts.co.uk

Unit 9, Evolve@Vision Park, Burnley BB12 0AW

THE PLATINUM COLLECTION

2023

 **Aironi**



HIGH CLASS COOKER HOODS, MADE IN ITALY

Over 30 years of quality and innovation.

AirOne were established in 1986 in the Veneto region of Italy, and have built a reputation for manufacturing high class, stylish cooker hoods to the premium kitchen industry worldwide.

The company are synonymous for their extreme attention to detail and exceptional craftsmanship.

AirOne are specialists in extraction. We offer products and solutions that most other manufacturers can't, with an extensive selection of finishes, sizes, and motor options available.

We are excited to bring to you our Platinum Collection, featuring products that have been strategically selected for the UK market.

Product features	5	Help & advice	48
Motors	6	Product matrix	50
Our products	7	Warranty & servicing	51





FEATURES



CHOICE OF MOTORS

From dedicated motors to external motors, all AirOne cooker hoods have multiple motor options available to suit your requirements.



MADE IN ITALY

All AirOne cooker hoods are produced with quality as standard. Attention to detail and exceptional craftsmanship is included within all the products they produce.




REMOTE CONTROLS

Many AirOne cooker hoods are supplied with a premium remote control as standard. Out of the models that don't include a remote control, most do have the option to purchase one as an accessory.

REMOTE MOTORS


All AirOne extractors include our powerful, quiet Premium + motors as standard. However, our high class external or inline remote motors are perfect for customers who want to reduce the noise from their extractor further. They are also a great solution for more complicated or longer ducting runs.



AH004 EXTERNAL WALL MOTOR

Our AH004 external wall motor offers exceptional performance and is perfect for customers who want to reduce the noise within around the cooking area even further. This stylish, weatherproof motor is to be installed on the external wall of a property.

Airflow	450 - 855 m³/h
Max pressure	760 Pa
Noise level	65 - 85 dBA
Power	190W
Cable length	10m
Required ducting	Ø 150mm



AH003 INLINE REMOTE MOTOR

The powerful AH003 inline remote motor is the ideal solution for longer than usual ducting runs and is located part way between the extractor and the external wall. We would recommend installing these motors into loft spaces, utility areas or cupboards that are easily accessible for servicing purposes.

Airflow	200 - 835 m³/h
Max pressure	580 Pa
Noise level	40 - 73 dBA
Power	345W
Cable length	10m
Required ducting	Ø 150mm

Our remote motors are offered as standard on selected AirOne products throughout the brochure; however, **they are compatible with all extractors we produce.**

Please contact us for more information.

Get in touch with our team of experts for more information

PRODUCTS



DOWNDRAFT HOODS




RECIRCULATING HOODS



CANOPY HOODS



ISLAND HOODS



CEILING HOODS



WALL HOODS






DOWNDRAFT HOODS


A stylish selection of quality downdraft hoods, each designed with elegance and functionality in mind.

BOTTICELLI


The Botticelli full glass downdraft extractor is for use with induction hobs. Featuring a retractable clear glass panel that is illuminated on the perimeter, creating an elegant ambient of light that can remain on whether you are cooking or not. Supplied with dedicated motor as standard that can be positioned at the front or the back, but various other motor options are available.



DETAILS & FEATURES

Installation	Downdraft
Finishes	Black / clear glass
Control	Touch control
Lighting	 4000K LED
Cut out (mm)	886 x 142
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Plinth charcoal filter kit **AHKFCPZ**

PERFORMANCE

Premium+ 	MIN	MAX	BOOST
Extraction capacity (m³/h)	256	593	735
Acoustic power (dBA)	47	66	68


This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
900 x 150	Black / clear glass	Premium+	AH2001
900 x 150	Black / clear glass	AH003 Inline	AH2002
900 x 150	Black / clear glass	AH004 External	AH2003



DETAILS & FEATURES

Installation	Downdraft
Finishes	Stainless steel / clear glass
Control	Remote control included
Lighting	 4200K LED
Cut out (mm)	790 x 100
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Charcoal filters **AHPCR3** (2 required) • Plinth charcoal filter kit **AHKFCPZ**

PERFORMANCE

Premium+ 	MIN	MAX	BOOST
Extraction capacity (m³/h)	230	500	730
Acoustic power (dBA)	42	59	66


This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

This hood can be combined with gas hob; however, the maximum total power of the back burners must equal to 4.7 Kw or less.

Warning: We decline all responsibility for damages to hoods with gas installations with higher powers.

SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
814 x 120	Stainless steel	Premium+	AH2011
814 x 120	Stainless steel	AH003 Inline	AH2012
814 x 120	Stainless steel	AH004 External	AH2013




MOZART


The Mozart is a contemporary downdraft, featuring clear glass for greater aesthetic impact. Featuring 4000K LED lighting and stylish remote control as standard the Mozart is available with multiple motor options.

ELEKTRA

Our popular Elektra black glass downdraft hood is available in either 900mm or 1200mm sizes. This stylish surface hood features a powerful LED strip is designed to illuminate the cooking area and is available with multiple motor options.



DETAILS & FEATURES

Installation	Downdraft
Finishes	Black glass
Control	Remote control included
Lighting	 4200K LED
Cut out (mm)	790 x 100 <i>or</i> 1090 x 100
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Charcoal filters **AHPCR5** (2 required) • Plinth charcoal filter kit **AHKFCPZ**

PERFORMANCE

Premium+ 	MIN	MAX	BOOST
Extraction capacity (m³/h)	231	500	729
Acoustic power (dBA)	41	59	66

This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

This hood can be combined with gas hob; however, the maximum total power of the back burners must equal to 4.7 Kw or less.

Warning: We decline all responsibility for damages to hoods with gas installations with higher powers.


SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
900	Black glass	Premium+	AH2021
900	Black glass	AH003 Inline	AH2022
900	Black glass	AH004 External	AH2023
1200	Black glass	Premium+	AH2024
1200	Black glass	AH003 Inline	AH2025
1200	Black glass	AH004 External	AH2026

Get in touch with our team of experts for more information



DETAILS & FEATURES

Installation	Downdraft
Finishes	Black glass
Control	Remote control included
Lighting	 4200K LED
Cut out (mm)	873 x 123 or 1173 x 123
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Charcoal filters **AHFCR** (2 required) • Plinth charcoal filter kit **AHKFCPZ**

PERFORMANCE

Premium+ 	MIN	MAX	BOOST
Extraction capacity (m³/h)	213	448	724
Acoustic power (dBA)	40	57	65


This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

This hood can be combined with gas hob; however, the maximum total power of the back burners must equal to 4.7 Kw or less.

Warning: We decline all responsibility for damages to hoods with gas installations with higher powers.

SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
900	Black glass	Premium+	AH2034
900	Black glass	AH003 Inline	AH2035
900	Black glass	AH004 External	AH2036
1200	Black glass	Premium+	AH2037
1200	Black glass	AH003 Inline	AH2038
1200	Black glass	AH004 External	AH2039



PARSIFAL

The Parsifal black 900mm or 1200mm black downdraft hood can retract up to 500mm high, which is considerably more than our other downdraft options and features a powerful LED strip that is designed to illuminate the cooking area. This hood is also available with multiple motor options.




RECIRCULATING CEILING HOODS

A selection of stylish, highly effective ceiling extractors that
are surface mounted and exclusively for recirculating.

VERDI 900

Easy and quick to install, the Verdi is designed for recirculation only with the air being recirculated through the upper perimeter of the extractor. It is finished in matt white with white glass and features a 4000K LED striplight for optimal lighting above the cooking area.



DETAILS & FEATURES

Installation	Surface mounted (ceiling)
Finishes	White glass
Control	Remote control included
Lighting	● 4000K LED
Cut out (mm)	-
Air outlet (mm)	-

PERFORMANCE

Premium+	MIN	MAX	BOOST
Extraction capacity (m³/h)	350	650	-
Acoustic power (dBA)	54	72	-


SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
900 x 600	White glass	Premium+	AH2032



VERDI 1200

Easy and quick to install, the Verdi is designed for recirculation only with the air being recirculated through the upper perimeter of the extractor. It is finished in matt white with white glass and features a 4000K LED striplight for optimal lighting above the cooking area.



DETAILS & FEATURES


Installation	Surface mounted (ceiling)
Finishes	White glass
Control	Remote control included
Lighting	● 4000K LED
Cut out (mm)	-
Air outlet (mm)	-


PERFORMANCE

Premium+	MIN	MAX	BOOST
Extraction capacity (m³/h)	350	650	-
Acoustic power (dBA)	54	72	-

SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
1200 x 700	White glass	Premium+	AH2033





Air is aspirated around the upper perimeter of the extractor

DETAILS & FEATURES


Installation	Surface mounted (ceiling)
Finishes	Matt white / white glass
Control	Remote control included
Lighting	● 3000K LED
Cut out (mm)	-
Air outlet (mm)	-

PERFORMANCE

Premium+	MIN	MAX	BOOST
Extraction capacity (m³/h)	350	650	-
Acoustic power (dBA)	56	72	-

SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
882 x 551	Matt white	Premium+	AH2031



TINTORETTO


Eye-catching and elegant, the Tintoretto is the latest addition to AirOne’s recirculating ceiling hood range. Designed exclusively for recirculation, the clean air is recirculated through the upper perimeter of the extractor. With stylish perimeter LED lighting, the Tintoretto is supplied as standard in matt white finish with a white glass bottom panel.

CANOPY HOODS

A contemporary selection of high-performance cut-out and fully integrated canopy hoods to suit all kitchen styles.

LORELEY

The Loreley is a cut-out canopy hood and features an eye-catching LED striplight. Available in black or stainless-steel finish and with a narrow overall depth of only 272mm, the Loreley can be comfortably installed into any wall cabinet and is available in widths of 535mm or 735mm.



This model is a cut-out canopy extractor
Minimum distance from induction hob: 500mm

DETAILS & FEATURES

Installation	Cut-out
Finishes	Matt black or stainless steel
Control	Rotary control
Lighting	● 3000K LED
Cut out (mm)	526 x 260 or 726 x 260
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Charcoal filters **AHPCR2** • Carbon filter kit **AHPCR5**

PERFORMANCE

535mm B	MIN	MAX	BOOST
Extraction capacity (m³/h)	258	463	628
Acoustic power (dBA)	49	63	69
735mm B	MIN	MAX	BOOST
Extraction capacity (m³/h)	277	478	703
Acoustic power (dBA)	49	63	69

This extractor is also available with external or inline remote motors options. Please see page 6 for further details.


SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
534 x 272	Matt black	Premium+	AH3071
534 x 272	Stainless steel	Premium+	AH3073
734 x 272	Matt black	Premium+	AH3074
734 x 272	Stainless steel	Premium+	AH3076

Get in touch with our team of experts for more information

RIGOLETTO

The Rigoletto cut-out canopy hood is available in stainless steel or white glass finish. This stylish canopy hood has a narrow overall depth of only 272mm therefore can be comfortably installed into any wall cabinet. Featuring powerful motor as standard with 4000K LED spotlights.



This model is a cut-out canopy extractor
Minimum distance from induction hob: 500mm

DETAILS & FEATURES

Installation	Cut-out
Finishes	White glass or stainless steel
Control	Soft touch control (optional remote on Stainless steel only)
Lighting	● 4000K LED
Cut out (mm)	526 x 260 or 726 x 260
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Charcoal filters **AHPCR2** • Charcoal filters **AHPCR5**
Remote control **AHAITRQ** (stainless steel only)

PERFORMANCE

600mm B	MIN	MAX	BOOST
Extraction capacity (m³/h)	258	463	628
Acoustic power (dBA)	49	63	69
900mm B	MIN	MAX	BOOST
Extraction capacity (m³/h)	277	479	703
Acoustic power (dBA)	48	61	68

This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

OPTIONAL EXTRAS

Remote control **AHAITRQ**


orders@miroproducts.co.uk • 01282 450 238

SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
534 x 272	White glass	Premium+	AH3091
734 x 272	White glass	Premium+	AH3092
734 x 272	Stainless steel	Premium+	AH3093

DONIZETTI

The Donizetti is a stylish fully integrated stainless-steel canopy hood that is designed to be installed into 600mm, 900mm or 1200mm wall cabinets. The retractable black glass visor offers a touch control panel which offers a practical solution when cooking.



This model is a fully integrated canopy extractor
Minimum distance from induction hob: 500mm

DETAILS & FEATURES

Installation	Fully integrated
Finishes	Stainless steel and black glass
Control	Touch control
Lighting	● 3000K LED
Cut out (mm)	-
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Rectangular carbon filter **AHPCR4** (600mm - 1 required / 1200mm - 2 required)
Rectangular carbon filter **AHPCR10** (900mm - 2 required)

PERFORMANCE

600mm B	MIN	MAX	BOOST
Extraction capacity (m³/h)	279	538	692
Acoustic power (dBA)	53	65	71
900mm B	MIN	MAX	BOOST
Extraction capacity (m³/h)	285	549	712
Acoustic power (dBA)	53	65	71
1200mm B	MIN	MAX	BOOST
Extraction capacity (m³/h)	288	554	731
Acoustic power (dBA)	53	65	71

SIZE & FINISHES


Dimensions (mm)	Finish	Motor	SKU
564 x 310	Stainless steel	Premium+	AH3081
864 x 310	Stainless steel	Premium+	AH3082
1164 x 310	Stainless steel	Premium+	AH3083

This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

Get in touch with our team of experts for more information

ADELIA

The Adelia is a brand-new addition to our canopy hoods selection. This stylish fully integrated canopy hood is designed to be installed into 600mm, 900mm or 1200mm wall cabinets. Featuring retractable glass visor, LED lighting and professional filters as standard, the Adelia is available in matt black or stainless-steel finish.



This model is a fully integrated canopy extractor
Minimum distance from induction hob: 500mm



DETAILS & FEATURES

Installation	Fully integrated
Finishes	Black or stainless steel
Control	Rotary control
Lighting	● 3000K LED
Cut out (mm)	-
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Rectangular carbon filter **AHPCR4** (600mm - 1 required / 1200mm - 2 required)
Rectangular carbon filter **AHPCR10** (900mm - 2 required)

PERFORMANCE

600mm B	MIN	MAX	BOOST
Extraction capacity (m³/h)	279	538	692
Acoustic power (dBA)	53	65	71
900mm B	MIN	MAX	BOOST
Extraction capacity (m³/h)	285	549	712
Acoustic power (dBA)	53	65	71
1200mm B	MIN	MAX	BOOST
Extraction capacity (m³/h)	288	554	731
Acoustic power (dBA)	53	65	71

SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
564 x 310	Stainless steel	Premium+	AH4001
564 x 310	Black	Premium+	AH4002
864 x 310	Stainless steel	Premium+	AH4003
864 x 310	Black	Premium+	AH4004
1164 x 310	Stainless steel	Premium+	AH4005
1164 x 310	Black	Premium+	AH4006

This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

orders@miroproducts.co.uk • 01282 450 238




ISLAND HOODS

A selection of contemporary, eye-catching island extractors, perfect for open plan kitchen living.

IRIS

The Iris is a real show stopper and is truly a statement piece from the local area of Veneto, Italy. Exclusively for recirculation, the Iris features an illuminated hand-blown glass shade with adjustable steel rods for extra stability.



DETAILS & FEATURES

Installation	Island
Finishes	White glass
Control	Rotary control (optional remote control)
Lighting	● 3000K LED
Cut out (mm)	-
Air outlet (mm)	-

OPTIONAL EXTRAS

Remote control **AHAITRQ**

PERFORMANCE

Premium+	MIN	MAX	BOOST
Extraction capacity (m³/h)	350	650	-
Acoustic power (dBA)	45	66	-


SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
660 x 160	White glass	Premium+	AH3031



MEDEA

Exclusively for recirculation, the Medea decorative black glass island hood offers a stylish solution for open plan kitchen designs.



DETAILS & FEATURES

Installation	Island
Finishes	Black glass
Control	Rotary control
Lighting	● 4000K LED
Cut out (mm)	-
Air outlet (mm)	-

PERFORMANCE

Premium+	MIN	MAX	BOOST
Extraction capacity (m³/h)	265	630	-
Acoustic power (dBA)	49	68	-

SIZE & FINISHES


Dimensions (mm)	Finish	Motor	SKU
600 x 486	Black glass	Premium+	AH3062

Get in touch with our team of experts for more information

orders@miroproducts.co.uk • 01282 450 238

BELLINI

The Bellini is exclusively for recirculation, the clean air is recirculated through the upper part of the extractor. With stylish perimeter LED lighting, the Bellini is available in a choice of three contemporary finishes.



DETAILS & FEATURES

Installation	Island
Finishes	White or black or anthracite
Control	Rotary control (optional remote control)
Lighting	● 3000K LED
Cut out (mm)	-
Air outlet (mm)	-

OPTIONAL EXTRAS

Remote control **AHAITRQ**

PERFORMANCE

Premium+	MIN	MAX	BOOST
Extraction capacity (m³/h)	350	650	-
Acoustic power (dBA)	45	66	-


SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
900 x 480	Black	Premium+	AH3041
900 x 480	White	Premium+	AH3042
900 x 480	Anthracite	Premium+	AH3043

Get in touch with our team of experts for more information

TIZIANO

The Tiziano Isola 175 is a real statement piece within any kitchen. This matt black island hood offers excellent extraction performance with eye-catching perimeter LED lighting.



DETAILS & FEATURES

Installation	Island
Finishes	Matt black
Control	Rotary control
Lighting	● 3000K LED
Cut out (mm)	-
Air outlet (mm)	Ø 150

PERFORMANCE B

Premium+	MIN	MAX	BOOST
Extraction capacity (m³/h)	328	554	776
Acoustic power (dBA)	49	63	69

OPTIONAL EXTRAS

Charcoal filters **AHPCR7**

SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
1750 x 580	Matt black	Premium+	AH3051


This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

CEILING HOODS

A selection of high-class ceiling extractors that are perfect for open plan living and to suit all kitchen styles.

SALIERI EVO

Sleek and elegant, the Salieri Evo is available in a variety of size and finishes. This popular ceiling hood is perfect for open plan designs and is compatible with multiple motor options.



With Premium+ motor Without motor (for remote motors)

DETAILS & FEATURES

Installation	False ceiling made to withstand 35kg
Finishes	Stainless steel or white glass
Control	Remote control included
Lighting	● 3000K LED
Cut out (mm)	880 x 580 or 1180 x 580
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Charcoal filters **AHPCR4** (900mm - 2 required)
Charcoal filters **AHAHPCR10** (1200mm - 4 required)

PERFORMANCE

Premium+ 900mm ● A	MIN	MAX	BOOST
Extraction capacity (m³/h)	282	533	771
Acoustic power (dBA)	49	64	69
Premium+ 1200mm ● B	MIN	MAX	BOOST
Extraction capacity (m³/h)	292	528	790
Acoustic power (dBA)	49	63	69

This extractor is also available with external or inline remote motors options. Please see page 6 for further details.


SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
900 x 600	Stainless steel	Premium+	AH2051
900 x 600	Stainless steel	AH003 Inline	AH2052
900 x 600	Stainless steel	AH004 External	AH2053
900 x 600	White glass	Premium+	AH2054
900 x 600	White glass	AH003 Inline	AH2055
900 x 600	White glass	AH004 External	AH2056
1200 x 600	Stainless steel	Premium+	AH2057
1200 x 600	Stainless steel	AH003 Inline	AH2058
1200 x 600	Stainless steel	AH004 External	AH2059
1200 x 600	White glass	Premium+	AH2060
1200 x 600	White glass	AH003 Inline	AH2061
1200 x 600	White glass	AH004 External	AH2062

Get in touch with our team of experts for more information


Salieri Evo in stainless steel





CARMEN

The Carmen ceiling hood features striking LED perimeter lighting and offers excellent extraction performance. Available either 900 or 1200 wide, the Carmen is also available with multiple motor options.



With Premium+ motor

Without motor (for remote motors)

DETAILS & FEATURES

Installation	False ceiling made to withstand 35kg
Finishes	White
Control	Remote control included
Lighting	● 3000K LED
Cut out (mm)	878 x 546 or 1178 x 546
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Charcoal filters **AHPCR1** (900mm - 3 required / 1200mm - 4 required)

PERFORMANCE

Premium+ 900mm ● B	MIN	MAX	BOOST
Extraction capacity (m³/h)	294	520	776
Acoustic power (dBA)	49	64	69

Premium+ 1200mm ● B	MIN	MAX	BOOST
Extraction capacity (m³/h)	305	515	794
Acoustic power (dBA)	49	63	69


This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
892 x 561	White	Premium+	AH2041
892 x 561	White	AH003 Inline	AH2042
892 x 561	White	AH004 External	AH2043
1192 x 561	White	Premium+	AH2044
1192 x 561	White	AH003 Inline	AH2045
1192 x 561	White	AH004 External	AH2046

FENICE

The stylish and contemporary Fenice ceiling extractor is available in either stainless steel or matt white finish with a white glass panel that features LED lighting. With multiple motors options, the Fenice is available in 900mm or 1200mm sizes.



DETAILS & FEATURES

Installation	False ceiling made to withstand 35kg
Finishes	Stainless steel and white or white
Control	Remote control included
Lighting	● 4000K LED
Cut out (mm)	830 x 530 or 1130 x 530
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Charcoal filters **AHPCR1** (850mm - 2 required / 1150mm - 3 required)

PERFORMANCE

Premium+ ● A	MIN	MAX	BOOST
Extraction capacity (m³/h)	323	577	766
Acoustic power (dBA)	47	61	67

This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

SIZE & FINISHES


Dimensions (mm)	Finish	Motor	SKU
850 x 550	Stainless steel/white	Premium+	AH2081
850 x 550	Stainless steel/white	AH003 Inline	AH2082
850 x 550	Stainless steel/white	AH004 External	AH2083
850 x 550	White	Premium+	AH2084
850 x 550	White	AH003 Inline	AH2085
850 x 550	White	AH004 External	AH2086
1150 x 550	Stainless steel/white	Premium+	AH2087
1150 x 550	Stainless steel/white	AH003 Inline	AH2088
1150 x 550	Stainless steel/white	AH004 External	AH2089
1150 x 550	White	Premium+	AH2090
1150 x 550	White	AH003 Inline	AH2091
1150 x 550	White	AH004 External	AH2092

Get in touch with our team of experts for more information

Fenice ceiling hood in white




Raffaello ceiling hood in white



RAFFAELLO

The impressive Raffaello 1200mm ceiling hood is a great solution for open plan living designs. With a choice of motors and finishes available, the Raffaello features a powerful 36W LED panel that offers a fantastic ambience of light above the cooking area.



With Premium+ motor

Without motor (for remote motors)

DETAILS & FEATURES

Installation	False ceiling made to withstand 35kg
Finishes	Stainless steel or white
Control	Remote control included
Lighting	● 3000K LED
Cut out (mm)	1220 x 530
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Charcoal filters **AHPCR1**

PERFORMANCE

Premium+ ●	MIN	MAX	BOOST
Extraction capacity (m ³ /h)	336	587	812
Acoustic power (dBA)	50	64	69

This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
1240 x 550	Stainless steel	Premium+	AH2071
1240 x 550	Stainless steel	AH003 Inline	AH2072
1240 x 550	Stainless steel	AH004 External	AH2073
1240 x 550	White	Premium+	AH2074
1240 x 550	White	AH003 Inline	AH2075
1240 x 550	White	AH004 External	AH2046




WALL HOODS

AirOne's impressive collection of contemporary glass wall hoods are sure to be the focal piece within any kitchen.

VIVALDI

Available in black or white glass, the Vivaldi 800mm wide wall hood offers performance and style.



DETAILS & FEATURES

Installation	Wall hood
Finishes	Black glass or white glass
Control	Touch control
Lighting	● 4000K LED
Cut out (mm)	-
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Round charcoal filters **AHFCCN** • Optional chimney piece **AHH458**

PERFORMANCE

Premium+ A	MIN	MAX	BOOST
Extraction capacity (m³/h)	330	563	757
Acoustic power (dBA)	50	62	68

This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

SIZE & FINISHES


Dimensions (mm)	Finish	Motor	SKU
800 x 430	Black glass	Premium+	AH3001
800 x 430	White glass	Premium+	AH3002

*The chimney section is not included on this product.
This is an optional accessory*

Get in touch with our team of experts for more information

HAMLET

The Hamlet is available in 600 or 800mm sizes and offers excellent extraction performance. This popular wall hood is available in black or white glass and touch control panel.



DETAILS & FEATURES

Installation	Wall hood
Finishes	Black glass or white glass
Control	Soft touch control
Lighting	● 4000K LED
Cut out (mm)	-
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Charcoal filters **AHPCR3** (800mm - 2 required)
Charcoal filters **AHPCR5** (600mm - 1 required)
Optional chimney piece **AHH458**

orders@miroproducts.co.uk • 01282 450 238

PERFORMANCE

Premium+ 600mm B	MIN	MAX	BOOST
Extraction capacity (m³/h)	288	501	734
Acoustic power (dBA)	50	61	68

Premium+ 800mm A	MIN	MAX	BOOST
Extraction capacity (m³/h)	345	600	770
Acoustic power (dBA)	48	61	68

This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

SIZE & FINISHES


Dimensions (mm)	Finish	Motor	SKU
600 x 425	Black glass	Premium+	AH3011
600 x 425	White glass	Premium+	AH3012
800 x 425	Black glass	Premium+	AH3013
800 x 425	White glass	Premium+	AH3014

*The chimney section is not included on this product.
This is an optional accessory*

orders@miroproducts.co.uk • 01282 450 238

BOHEME

Unique and elegant, the Boheme is an eye-catching addition to our wall hoods selection. The Boheme is 800mm wide in a choice of black or white glass. The controls are at the base of the extractor, making them very easy to access.



DETAILS & FEATURES

Installation	Wall hood
Finishes	Black glass or white glass
Control	Soft touch control
Lighting	● 4000K LED
Cut out (mm)	-
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Charcoal filters **AHPCR4** (2 required) • Optional chimney piece **AHH458**

PERFORMANCE

Speed setting A	MIN	MAX	BOOST
Extraction capacity (m³/h)	345	600	770
Acoustic power (dBA)	48	61	68

This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

SIZE & FINISHES


Dimensions (mm)	Finish	Motor	SKU
800 x 350	Black glass	Premium+	AH3021
800 x 350	White glass	Premium+	AH3022

*The chimney section is not included on this product.
This is an optional accessory*

Get in touch with our team of experts for more information

LEONARDO

The Leonardo is an innovative 900mm wall hood with patented design and space-saving function. The upper black glass opens to access the spacious internal compartments with two shelves.



DETAILS & FEATURES

Installation	Wall hood
Finishes	Black glass
Control	Touch control
Lighting	● 3200K LED
Cut out (mm)	-
Air outlet (mm)	Ø 150

OPTIONAL EXTRAS

Charcoal filters **AHKFCPT** • Optional chimney piece **LEONARDO**

PERFORMANCE

Premium+ A	MIN	MAX	BOOST
Extraction capacity (m³/h)	318	570	769
Acoustic power (dBA)	52	65	70

This extractor is also available with external or inline remote motors options. Please see page 6 for further details.

SIZE & FINISHES

Dimensions (mm)	Finish	Motor	SKU
900 x 418	Black glass	Premium+	AH4011

*The chimney section is not included on this product.
This is an optional accessory*

orders@miroproducts.co.uk • 01282 450 238

POWER CALCULATION

Calculation of powers necessary for a correct aspiration.

The ideal cooker hood should pull odours and smoke from the kitchen effectively with minimal noise. To enjoy a kitchen living environment, the air should be renewed between 12 and 15 times per hour with the noise not exceeding 55 dB (A).

It is very important to know that the channelling of the air produces a loss in the absorption capacity, which is why it is imperative that only 150mm (6") or 220 x 90mm ducting should be used with our hoods, avoiding reductions and elbows.

The following data can be used to calculate the loss:

- 1 meter of tube - reduction of: 10 m³/h.
- 1 90° elbow - reduction of: 50 m³/h.
- 1 45° elbow - reduction of: 15 m³/h
- 1 Nozzle - reduction of: 30 m³/h


(Indicative data depending on the tube diameter)

For the correct air renewal, it is necessary for the kitchen to be provided with an air inlet to ensure good air circulation and a correct operation of the hood since without this inlet and with the kitchen closed a depression is created that reduces the suction efficiency of the hood. If there is an air inlet for the gas installation, this would do.


INSTALLATION

Dimensions

Choosing an adequate hood size in relation to the cooking area is essential for a satisfactory result.



As with the size, the height of the hood is very important in order to achieve its maximum performance.




*According to the UNE-60335-2:31 standard, the minimum distance of the gas hobs from the extractor hood and / or the furniture must be at least 65 cm. **Unless otherwise stated on product page.**

Ventilation

It is a basic requirement that the kitchen is provided with an air inlet to ensure good air circulation and therefore a correct operation of the hood since without this inlet and with the kitchen closed a depression is created that reduces the suction efficiency of the hood.

If there is an air inlet for the gas installation, this would be useful and if not, one must be created.



Installation of conductive tubes

Most of the efficiency of the aspiration and noise reduction depends on the path and length of the exit to the outside, for this reason we indicate a series of recommendations so that your satisfaction is greatest. We recommend either 150mm (6") round or 220mm x 90mm rectangular rigid ducting is used in the installation of your new extractor to ensure maximum performance and efficiency. Failure to do so may invalidate your warranty.

- Avoid making a reduction in diameter at the outlet of the hood nozzle.
- Avoid making a diameter reduction near the elbows.
- Avoid abruptly reducing pipe diameter.
- Reduce the number of elbows as much as possible.
- Make any necessary elbows as sharp as possible.
- Make sure that the smoke outlet is as direct as possible.

ALL MOTORS AND ELECTRONIC PARTS MUST BE ACCESSIBLE FOR TECHNICAL SERVICE INTERVENTIONS IF NECESSARY. CONSIDER WHEN INSTALLING THE HOOD, PREVENTING ACCESS MAY RESULT WITH THE LOSS OF THE GUARANTEE.

PRODUCT GRID

			FINISH						SIZES	MOTOR OPTIONS			EXTRA	ENERGY	
	Product	Page	Stainless steel	White	Black	White glass	Black glass	Anthracite	Widths (mm)	Premium+	AH003 Inline	AH004 External	Remote control	Standard rating	
DOWNDRAFT	Botticelli	10			●				900	●	○	○		A	
	Mozart	11	●						814	●	○	○	●	A	
	Elektra	12					●		900, 1200	●	○	○	●	A	
	Parsifal	13					●		900, 1200	●	○	○	●	A	
RCRCLNG	Verdi 900	16		●					900	●	○	○	●	-	
	Verdi 1200	17		●					1200	●	○	○	●	-	
	Tintoretto	19		●					882	●	○	○	●	-	
CANOPY	Loreley	22	●		●				534, 734	●	○	○		B	
	Rigoletto	23	●			●			534, 734	●	○	○	○	B	
	Donizetti	24	●						564, 864, 1164	●	○	○		B	
	Adelia	25	●		●				564, 864, 1164	●	○	○		B	
ISLAND	Iris	28				●			660	●			○	-	
	Medea	29					●		600	●				-	
	Bellini	30		●	●			●	900	●			○	-	
	Tiziano	31			●				1750	●	○	○		B	
CEILING	Salieri Evo	34	●	●					900, 1200	●	○	○	●	A	B
	Carmen	37		●					892, 1192	●	○	○	●	B	
	Fenice	38	●	●					850, 1150	●	○	○	●	A	
	Raffaello	41	●	●					1240	●	○	○	●	B	
WALL	Vivaldi	44				●	●		800	●	○	○		A	
	Hamlet	45				●	●		600, 800	●	○	○		B	A
	Boheme	46				●	●		800	●	○	○		A	
	Leonardo	47					●		900	●	○	○		A	

WARRANTY

For your peace of mind, all new AirOne cooker hoods include full 2 years parts and labour warranty and are manufactured to the highest standard using only quality components.

However, if your product does ever let you down, our network of quality service engineers are on hand to help.

Please register your details at miroproducts.co.uk/register-warranty to validate your warranty.

AirOne always recommends customers keep their proof of purchase.

SERVICING

Our network of quality service engineers are on hand to help with servicing and maintaining your cooker hoods.

To find out more, or to book an engineer, please call **01282 450238** or email support@miroproducts.co.uk.



01282 450 238

orders@miroproducts.co.uk

Unit 9, Evolve@Vision Park, Burnley BB12 0AW